




Suministros Narváez S L




ACEITES Y SPRAYS



RANGO TEMPERATURA -20 A +90°

Order No / Bestellnr.	Internal Dia. Schlauch ID		Outside Dia Schlauch AD mm	Max. Working Pressure at Max. Betriebsdruck (20°C) Bar	Bursting Pressure at Berstdruck (20°C) Bar	Length Länge m.	Weight Gewicht kg / m	Min. bend radius Min. Biegeradius mm	Color Farbe
	mm	Inch.							
PLOK - 06B	6.3	1/4"	14	20	60	20	0.17	110	Blue Blau
PLOK - 06R	6.3	1/4"	14	20	60	20	0.17	110	Red Rot
PLOK - 10B	9.5	3/8"	15.4	20	60	20	0.18	130	Blue Blau
PLOK - 10R	9.5	3/8"	15.4	20	60	20	0.18	130	Red Rot
PLOK - 12B	12.5	1/2"	18.5	20	60	20	0.20	145	Blue Blau
PLOK - 12R	12.5	1/2"	18.5	20	60	20	0.20	145	Red Rot
PLOK - 16B	16	5/8"	24	20	60	20	0.36	200	Blue Blau
PLOK - 16R	16	5/8"	24	20	60	20	0.36	200	Red Rot

Order No / Bestellnr.	Internal Dia. Schlauch ID		Outside Dia Schlauch AD mm	Max. Working Pressure at Max. Betriebsdruck (20°C) Bar	Bursting Pressure at Berstdruck (20°C) Bar	Length Länge m.	Weight Gewicht kg / m	Min. bend radius Min. Biegeradius mm	Color Farbe
	mm	Inch.							
HLOK - 6B	6.3	1/4"	17	6	60	20	0.23	110	Blue Blau
HLOK - 6R	6.3	1/4"	17	6	60	20	0.23	110	Red Rot
HLOK - 10B	10	3/8"	20	6	60	20	0.27	135	Blue Blau
HLOK - 10R	10	3/8"	20	6	60	20	0.27	135	Red Rot
HLOK - 12B	13	1/2"	23	6	60	20	0.32	150	Blue Blau
HLOK - 12R	13	1/2"	23	6	60	20	0.32	150	Red Rot
HLOK - 16B	16	5/8"	28	6	60	20	0.40	210	Blue Blau
HLOK - 16R	16	5/8"	28	6	60	20	0.40	210	Red Rot



Suministros Narváez S L
C/ Albacete, 2-B
03440 IBI - ALICANTE
Tel. 622 433 425
pedidos@suminar.com